



Expert-Medical Ltd.
Always delivers the best solutions

HUMAPOL IN LIVESTOCK

Cows Calves

Humapol suspension: drinking calves directly mixed into the milk 1dl/calf daily dose
In case of diarrhea, the daily dose should be increased 2x1 dl / calf dose of 1-3 days.
Humapol pulvis: mixed in complete calf -feed 1% concentration, 10 kg /1 ton feed.

Expected effects:

- + strengthening the immune system
- + prevention of digestive tract diseases, lung virus diseases,
- + bacterial diseases and diarrhea
- + effective milk assumption, weight gain, vitality
- + decreasing use of medication and decreasing mortality




Cow with calf

Humapol mixed in feed with the dosage 0,6 – 1,0% has a positive effect on oestrus, decreasing abortion and solves problems of calving.

During continuous feeding we mix 60-100 grams with feed each day. Dosage depends on toxine contamination of feed, problems of animal health and reproductive biology and milk yield. Feeding Humapol at starting period has a positive effect on the immune system of new born calves, on developing fiber digest. Humapol also has a positive effect on holding back amnion and the increase of milk yield. After calving Humapol helps developing impregnation and growth . It decreases time between two calvings, prevents pneumonia, prevents high number of somatic cells. It also prevents rumen acidity and heat stress. Humapol has a very strong toxine binding and toxine emptying effect. It decreases the cases of medical treatments and costs on medication. **With the usage of bigger dosages Humapol stops diarrhea caused by toxine or virus.**

Meat Cow

Humapol provides a lower feed consumption.
It creates a better quality of meat and decreases costs of medication.





Expert-Medical Ltd.
Always delivers the best solutions

HUMAPOL IN LIVESTOCK

Pigs

Sows

After separating newborn piglets from sows we begin mixing Humapol in feed with the dosage 0,4-0,7%. By the effect of high humic acid contents and high iron contents we can prevent oestrous problems and reproduction problems. Humic acid also has a strong effect on detoxication. With continuous Humapol use we can increase reproduction figures and we can decrease the number of roaring sows. We can also increase the number of newborn alive piglets, increase their immune system and increase the milk yield of sows.

Porkers

After piglet parenting we carry on with Humapol feed with the dosage 0,4 – 0,5%. Keeping up a strong immune system we can prevent digestive tract diseases and lung diseases.

-good weight gain, feed utilisation

-integrated animal stock can be sold the same time

-toxine binding and toxine emptying

-lower costs on medication

In case of special situations using Humapol in higher dosage we can prevent problems on breeding, prevent diseases.

Piglets

Using Humapol with the dosage 0,4 – 0,5% it helps development of intestinal flora, prevents diarrhea, prevents digesting problems and the shortage of iron. Humapol strengthens the immune system, increases utilisation rate, weight gain, shortens parenting time. Humic acid binds and empties toxins can be found in feed, prevails antiviral, antibacterial and chelate forming effects, prevents diseases and costs on medication.

Poultres

The positive effects of humic acid has already been proved in all branches of poultry business. Humapol with its higher contents of humic acid can be used in smaller dosages providing positive effects with lower costs. Humapol is having positive results in broiler chicken, in turkey, in layers and in parents as well. The dosage of Humapol in poultries mixed in feed is 0,5 – 0,7%.



Expected results:

- ✦ strengthening the immune system
- ✦ strengthening animal stock, preventing diarrhea, good feed utilisation, toxine binding and toxine emptying, strengthening bone system, plumage and egg shells, decreasing cellulite in stomach, having egg production the same time, expanding egg production time, increasing number of eggs, increasing antiviral effects, preventing Salmonella diseases, decreasing ammonia smell, decreasing costs on medication, decreasing stress.

Besides above mentioned three major animal species humic acid can also be used on other different other species with excellent results. Humapol has its positive antiviral effects, antibacterial effects, toxine binding effects chelate forming effects on species such as horse, sheep, goat, ostrich, pigeon, small and large wild animals. Humapol can even be used on our pets.

FOR HUMAPOL FEEDING PLEASE ASK FOR OUR ADVICE.